

Batch	Lot Expire Date	prolonged expiry date	Material	Material description
1F1007A	31.12.2021	31.03.2022	F000054725	COMIRNATY 195 VIALS x 0,45ML
1F1012A	31.12.2021	31.03.2022	F000054230	COMIRNATY 195 VIALS x 0,45ML
1F1013A	31.12.2021	31.03.2022	F000054230	COMIRNATY 195 VIALS x 0,45ML
1G044A	31.12.2021	31.03.2022	F000054136	COMIRNATY 195 VIALS x 0,45ML
31134TB	31.01.2022	30.04.2022	F00054723	COMIRNATY 195 VIALS x 0,45ML
ET1831	30.06.2021	30.09.2021	F000052242	COMIRNATY 195 VIALS x 0,45ML
ET3620	30.06.2021	30.09.2021	F000052243	COMIRNATY 195 VIALS x 0,45ML
ET7205	31.07.2021	31.10.2021	F000052244	COMIRNATY 195 VIALS x 0,45ML
EW2239	31.07.2021	31.10.2021	F000052908	COMIRNATY 195 VIALS x 0,45ML
EW2246	31.07.2021	31.10.2021	F000052908	COMIRNATY 195 VIALS x 0,45ML
EW4815	31.07.2021	31.10.2021	F000052908	COMIRNATY 195 VIALS x 0,45ML
EX0893	31.07.2021	31.10.2021	F000052939	COMIRNATY 195 VIALS x 0,45ML
EX7823	31.08.2021	30.11.2021	F000052939	COMIRNATY 195 VIALS x 0,45ML
EY3014	31.08.2021	30.11.2021	F000052908	COMIRNATY 195 VIALS x 0,45ML
EY7015	31.08.2021	30.11.2021	F000052796	COMIRNATY 195 VIALS x 0,45ML
FA4598	31.08.2021	30.11.2021	F000053228	COMIRNATY 195 VIALS x 0,45ML
FA5831	31.08.2021	30.11.2021	F000052796	COMIRNATY 195 VIALS x 0,45ML
FC0681	30.09.2021	31.12.2021	F000053231	COMIRNATY 195 VIALS x 0,45ML
FC2473	30.09.2021	31.12.2021	F000052750	COMIRNATY 195 VIALS x 0,45ML
FD0168	30.09.2021	31.12.2021	F000053538	COMIRNATY 195 VIALS x 0,45ML
FD1921	30.09.2021	31.12.2021	F000053228	COMIRNATY 195 VIALS x 0,45ML
FD4555	31.10.2021	31.01.2022	F000053680	COMIRNATY 195 VIALS x 0,45ML
FD6840	31.10.2021	31.01.2022	F000053638	COMIRNATY 195 VIALS x 0,45ML
FE6208	31.10.2021	31.01.2022	F000053683	COMIRNATY 195 VIALS x 0,45ML
FE7051	30.11.2021	28.02.2022	F000053511	COMIRNATY 195 VIALS x 0,45ML
FE8244	30.11.2021	28.02.2022	F000053637	COMIRNATY 195 VIALS x 0,45ML
FF0680	31.10.2021	31.01.2022	F000053682	COMIRNATY 195 VIALS x 0,45ML
FF2832	30.11.2021	28.02.2022	F000053639	COMIRNATY 195 VIALS x 0,45ML
FF2834	30.11.2021	28.02.2022	F000053639	COMIRNATY 195 VIALS x 0,45ML
FF3318	31.10.2021	31.01.2022	F000053641	COMIRNATY 195 VIALS x 0,45ML
FF8288	31.12.2021	31.03.2022	F000053684	COMIRNATY 195 VIALS x 0,45ML
FG4509	30.11.2021	28.02.2022	F000052751	COMIRNATY 195 VIALS x 0,45ML
FG7911	31.12.2021	31.03.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FG9428	31.12.2021	31.03.2022	F000053684	COMIRNATY 195 VIALS x 0,45ML
FH0161	31.12.2021	31.03.2022	F000053638	COMIRNATY 195 VIALS x 0,45ML
FH0161	31.12.2021	31.03.2022	F000053638	COMIRNATY 195 VIALS x 0,45ML
FH3253	31.01.2022	30.04.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FH9678	31.12.2021	31.03.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FH9951	31.12.2021	31.03.2022	F000053638	COMIRNATY 195 VIALS x 0,45ML
FJ5973	31.01.2022	30.04.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FJ8041	31.01.2022	30.04.2022	F000054479	COMIRNATY 195 VIALS x 0,45ML
FK5475	31.01.2022	30.04.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FL4213	30.06.2022	30.06.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FL4213	30.06.2022	30.06.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML

Batch	Lot Expire Date	prolonged expiry date	Material	Material description
FL4213	30.06.2022	30.06.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FL4574	28.02.2022	31.05.2022		
FL5324	28.02.2022	31.05.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FL5324	28.02.2022	31.05.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
FM4289	30.06.2022	30.06.2022	F000054477	COMIRNATY 195 VIALS x 0,45ML
PCA0002	30.11.2021	28.02.2022		
PCA0003	30.11.2021	28.02.2022		
PCB0001	31.10.2021	31.01.2022		
PCB0003	30.11.2021	28.02.2022	F000053271	COMIRNATY 195 VIALS x 0,45ML
SDCC8	31.01.2022	30.04.2022	F000054258	COMIRNATY 195 VIALS x 0,45ML
SDCH8	31.01.2022	30.04.2022	F000054258	COMIRNATY 195 VIALS x 0,45ML